


ADVANCED COOLING MEETS ELEGANT DESIGN.

DEEP FREEZER RANGE



ABOUT BLUE STAR

With over eight decades of experience in providing expert cooling solutions, Blue Star is India's leading air conditioning and commercial refrigeration company. Built on trust, Blue Star is recognised as an industry leader known for innovation, quality and durability in several countries across the globe.

The Company offers a comprehensive range of products that are not only technologically advanced but also sustainable, energy—efficient and intuitively designed. Packed with modern and contemporary features, these products ensure the best of comfort and convenience. Further, Blue Star prides itself in offering a world—class customer experience and exemplary after—sales service. The Company's extensive and continuous investments in research and development are primarily responsible for its success and enviable reputation across the globe. Blue Star has several registered patents, six registered designs and has applied for many new patents.

WORLD-CLASS MANUFACTURING FACILITIES

With a modest start, from a single plant in Colaba, Mumbai in the 1940s, Blue Star has grown to become an industry authority. It has world—class manufacturing facilities in Dadra, Himachal Pradesh, Wada and Ahmedabad apart from Sri City, which is operated by its wholly—owned subsidiary, Blue Star Climatech.







DEEP FREEZERS

Blue Star's Deep Freezers are the ideal solution for keeping food fresh and preserved for a long time. Engineered with superior components and cutting-edge technology, our Deep Freezers operate at sub-zero range, reaching as low as -26° C. Designed to lock in both freshness and nutrition, they enable you to enjoy your favourite food whenever you desire.



RIGOROUS ENDURANCE TESTS

Deep Our Freezers undergo rigorous tests to ensure continuous performance, even in extreme ambient conditions. Our gaskets are subject to 100 hours of endurance testing, while the doors are tested for one lakh cycles of opening and closing. This commitment to quality guarantees a long-lasting and trouble-free performance.



COMPREHENSIVE RANGE

Blue Star offers a comprehensive range of Deep Freezers to cater to diverse needs and capacities. From Hard Top & Glass Top Deep Freezers, Chest Coolers, to Cooler-Cum-Feezers, we provide reliable options ideal for storing dairy products, frozen foods, and other essentials.



ENHANCED DISPLAY

Our Glass Top Deep Freezers not only preserve and protect products but also enhance their visual appeal. Designed to create value while aligning with aesthetic preferences, they strike the perfect balance between maximizing floor space and showcasing products effectively.





Our wide range of Hard Top Deep Freezers are crafted with a cutting-edge technology to ensure long-lasting freshness and reliable performance, even in high ambient temperatures. Engineered for energy efficiency, they consume less power, ensuring significant savings while providing the most cost-effective solution for all your storage needs.





FULLY TROPICALISED FOR HARSH SUMMER



CONVERTIBLE COOLING



J QUADRACOOL TECHNOLOGY



ANTI-BACTERIAL GASKET



CORROSION RESISTANT BODY



ROBUST CONSTRUCTION

Model	CF2-90NEYW	CF3-130NEYW/BL CF3-130NPYW-SL/RD	CF4-180NEYW	CF4-230NEYW/BL CF4-230NPYW-SL/RD	CF4-330NC	CF5-330NEYW/BL/GD CF5-330NPYW-SL/RD
Star Rating	2	3	4	4	4	5
Capacity (L)	71	108	161	215	310	310
Temperature Range	+8°C to -26 °C	+8°C to -26 °C	+8°C to −26 °C	+8°C to -26 °C	+8°C to -26 °C	+8°C to -26 °C
Refrigerant	R600a	R600a	R600a	R600a	R290	R290
No. of Lids	1	1	1	1	2	2
PUF Thickness (mm)	60	60	60	60	65	65
Overall Dimensions (mm)	505 X 570 X 829	575 X 570 X 829	765 X 570 X 842	955 X 571 X 842	1122 X 708 X 883	1122 X 708 X 883
Overall Dimensions (Inch)	20 x 22 x 33	23 x 22 x 33	30 x 22 x 33	38 x 22 x 33	44 x 28 x 35	44 x 28 x 35
Net Weight (Kg)	25	28	31	35	47	49

Model	CF5-396NEYW	CF5-460NEYW	CF5-575NEYW	CF3-300MEW/ MPW	CF3-400MEW/ MPW	CF3-500MEW/ MPW
Star Rating	5	5	5	3	3	3
Capacity (L)	360	410	515	301	401	484
Temperature Range	+8°C to -26 °C	+8°C to -26 °C	+8°C to -26 °C			
Refrigerant	R290	R290	R290	R290	R290	R290
No. of Lids	2	2	2	2	2	2
PUF Thickness (mm)	65	65	65	60	60	60
Overall Dimensions (mm)	1262 X 708 X 883	1407 X 708 X 883	1697 X 708 X 883	1147 x 678 x 857	1447 x 678 x 857	1647 x 678 x 857
Overall Dimensions (Inch)	50 x 28 x 35	55 x 28 x 35	67 x 28 x 35	45 x 27 x 34	57 x 27 x 34	65 x 27 x 34
Net Weight (Kg)	54	57	63	47	56	61



Our Glass Top Deep Freezers are designed to showcase frozen foods attractively, encouraging impulse purchases and boosting sales. These models feature a 5-star rating for energy efficiency, ensuring both sustainability and cost effectiveness. Additionally, select models feature LED lighting and offer a wide range of coloured frames, allowing for customisation to suit unique preferences and style.





OPTIMISED STORAGE SPACE



MAXIMUM FRONTAL BRANDING AREA



LOW E-TOUGHENED GLASS



MULTI-COLOUR FRAME OPTIONS



HIGH DENSITY
PUF INSULATION



CROWN DESIGN

Model	GT5-130NP	GT5-180NP	GT5-230NP	GT5-350N/NP/NL*	GT5-410N/NP/NL*	GT5-475N/NP/NL*	GT5-590N/NP/NL*
Star Rating	5	5	5	5	5	5	5
Capacity (L)	108	161	215	315	365	421	530
Temperature Range	−18°C to −26°C	−18°C to −26°C	−18°C to −26°C	−18°C to −26°C	−18°C to −26°C	−18°C to −26°C	−18°C to −26°C
Refrigerant	R600a	R600a	R600a	R290	R290	R290	R290
No. of Lids	2	2	2	2	2	2	2
PUF Thickness (mm)	60	60	60	65	65	65	65
Overall Dimensions (mm)	576x526x796	766x526x810	955x526x810	1125 X 670 X 859	1265 X 670 X 859	1410 X 670 X 859	1700 X 670 X 859
Overall Dimensions (Inch)	23 x 21 x 31	30 x 21 x32	38 x 21 x 32	44 x 26 x 34	50 x 26 x 34	56 x 26 x 34	67 x 26 x 34
Net Weight (Kg)	29	32	37	55/52	58/56	64/60	72/68

^{*}LED option is only available in NL model.



Our Chest Coolers are expertly designed to rapidly chill soft drinks, milk, and beverages, even in the intense heat of Indian summers. Perfect for commercial spaces like restaurants, hotels, dairy farms, and fast-food outlets, they deliver reliable performance in demanding conditions. Equipped with energy-efficient compressors and an advanced technology, these coolers maintain optimal temperatures while enhancing efficiency and sustainability.





FASTER TEMPERATURE PULL-DOWN



ENERGY-EFFICIENT COMPRESSOR





FULLY TROPICALISED FOR HARSH SUMMER



MULTI-ANGLE HINGE DESIGN



SAFE CLOSURE WITH LOCK & KEY

Model	СНВКЗООМР	CHBK400MP	CHBK500MP
Capacity (L)	301	401	484
Temperature Range	2°C to 8 °C	2°C to 8 °C	2°C to 8°C
Refrigerant	R134a	R134a	R134a
No. of Lids	1	2	2
PUF Thickness (mm)	60	60	60
Overall Dimensions (mm)	1147 x 678 x 857	1447 x 678 x 857	1647 x 678 x 857
Overall Dimensions (Inch)	45 x 27 x 34	57 x 27 x 34	65 x 27 x 34
Net Weight (Kg)	55	65	73

COOLER-CUM-FREEZERS



Our Cooler-Cum-Freezers are the ultimate solution for storing a diverse range of frozen foods and chilled beverages in a single unit. It seamlessly integrates two functions by providing separate compartments for the freezer and cooling chamber. This not only maximises space but also reduces capital investment and operating costs. A seamless blend of innovation and efficiency, delivering exceptional value.





DUAL COMPARTMENT DESIGN



HIGH DENSITY
PUF INSULATION



360° WHEELS



ANTI-BACTERIAL GASKET



EASY CLEAN



ECO-FRIENDLY REFRIGERANT

Model	CHFK275DGS/B/G	CHFK350DGS	CHFK375N
Cooler Capacity (L)	105	150	146
Freezer Capacity (L)	139	185	190
Total Capacity (L)	244	335	336
Temperature Range – Cooler	2°C to 8°C	2°C to 8 °C	2°C to 8°C
Temperature Range – Freezer	−18°C to −22°C	−18°C to −22°C	−18°C to −22°C
Refrigerant	R600a	R290	R290
No. of Lids	2	2	2
PUF Thickness (mm)	65	65	65
Overall Dimensions (mm)	1069 x 599 x 860	1336 x 665 x 865	1262 X 708 X 883
Overall Dimensions (Inch)	42 x 24 x 34	53 x 26 x 34	50 x 28 x 35
Net Weight (Kg)	44	52	52





Scan QR code for Blue Star Customer Care App available on App Store & Google Play.



SMS "SERVICE" to 57575.



Scan QR code to reach out on WhatsApp. 24X7 Customer Care on +91 89 7678 1177.



To know more about Blue Star, visit www.bluestarindia.com, email us at coolingsolutions@bluestarindia.com or SMS "COOL" to 57575.

For more information, please contact BLUE STAR LIMITED - Ahmedabad 201 to 205, Unicus Shyamal, Shyamal Cross Rd, Balgayatri Society Part-2, Satellite, Shyamal, Ahmedabad : 380015 Phone: (+91) (79) 4022 4000 - Bengaluru anjuman Kay Arr Tower, No 28, Ward No 77, Mission Road, Bengaluru - 560 027 Phone: (+91) (80) 4185 4000 - Bhubaneswar 3A, Satya Nagar, 2nd Floor, Bhubaneswar - 751 007 Phone: (+91) (674) 2572403 / 2573670 / 2570024 · Chandigarh 6th Floor, Sanjeev Tower, Plot No 55, Industrial & Business Park, Phase ; L Chandigarh - 160 002 Phone: (+91) (172) 415 5100 · Chennai KRM Plaza, No. 2, Harrington Road, Chetpet, Chennai - 600 031Phone: (+91) (44) 4244 4000 · Coimbatore Krisan Workspaces, Mayflower Valencia, 4th Floor, Nava India Rd, Coimbatore, 641004 Phone: (+91) (422) 4377125 · Goa 210, 2nd Floor, Gera's Imperium I, Patto, Panjim, Goa - 403 001 Phone: (+91) (832) 2438171/2437287 · Gurugram ofth Floor, Vatika Atrium, Golf Course Road, Sector 53, Gurugram - 122 002 (Haryana) Phone: (+91) (124) 409 4000 · Guwahati 5th Foor, 503, Roodraksh Mall, G5 ROAD, Bhangaghar, Dispur, Guwahati, Kamrup Metropolitan, Assam, 781005Phone: (+91) (361) 246 8496 · Hyderabad Ashoka Raghupati Chambers, No 1-10-60 to 64, 4th Floor, 5 P Road, Begumpet, Hyderabad - 500 016 Phone: (+91) (40) 4400 4000 · Indore Office No 502, Maloo-01 26/C, Scheme No 94/C Ring Road, Indore - 452 010 Phone: (+91) (731) 4001211/4001311 · Jaipur 607-8, 6th Floor, Man Upasana Plaza, Sardar Patel Marg, Jaipur - 302 001 Phone: (+91) (141) 431 3000 · Kochi Prestige TMS Square, 9th Floor, No. 2, Service Road, Padivattom, Edappally, Kochi - 682 024 Phone: (+91) (484) 449 9000 · Kolkata Eco Centre Business Tower, 11th Floor, Unit No: 1 & 2,Plot No 4, EM Block, Sector V, Salt Lake, Bidhanagar, Klokata - 700 091 Phone: (+91) (33) 4081 5400 Fax: (+91) (33) 4081 5596 · Lucknow 5th Floor, BBD Viraj Tower, TCG-1 A-V3, Vibhuti Khand, Gomti Nagar, Lucknow, Uttar Pradesh, 226010 Phone: (+91) (72) 662 4000 · Luchiana Goshawk Rental Space Solutions Pvt Ltd, BKX-3369, S

